



Jekejeke Develop Android

Version 1.3.4, January 9th, 2019



XLOG Technologies GmbH

Jekejeke Prolog

Development Environment 1.3.4

User Manual Android

Author: XLOG Technologies GmbH
Jan Burse
Freischützgasse 14
8004 Zürich
Switzerland

Date: January 08th, 2019
Version: 0.3

Participants: None

Warranty & Liability

To the extent permitted by applicable law and unless explicitly otherwise agreed upon, XLOG Technologies GmbH makes no warranties regarding the provided information. XLOG Technologies GmbH assumes no liability that any problems might be solved with the information provided by XLOG Technologies GmbH.

Rights & License

All industrial property rights regarding the information - copyright and patent rights in particular - are the sole property of XLOG Technologies GmbH. If the company was not the originator of some excerpts, XLOG Technologies GmbH has at least obtained the right to reproduce, change and translate the information.

Reproduction is restricted to the whole unaltered document. Reproduction of the information is only allowed for non-commercial uses. Small excerpts can be used if properly cited. Citations must at least include the document title, the product family, the product version, the company, the date and the page. Example:

... Defined predicates with arity>0, both static and dynamic, are indexed on the functor of their first argument [1, p.17] ...

[1] Language Reference, Jekejeke Prolog 0.8.1, XLOG Technologies GmbH, Switzerland, February 22nd, 2010

Trademarks

Jekejeke is a registered trademark of XLOG Technologies GmbH.

Table of Contents

1	Introduction	5
2	Tours	6
3	Menus	7
3.1	Debug Menu	7
3.2	Window Menu	7
4	Toolbars and Popup Menus	8
5	Settings Panels	9
5.1	Monitor Panel	9
6	Appendix Tour Listings	10
	Pictures	11
	Tables	11
	References	11

Change History

Jan Burse, August 9th, 2012, 0.1:

- Derived from runtime library version with debugging functionality only.

Jan Burse, March 9th, 2014, 0.2:

- Fixed menu location.

Jan Burse, January 08th, 2019, 0.3:

- New monitor panel and menu item.

1 Introduction

The user interface for the Jekejeke Prolog development environment can be either run with a GUI. In the following we describe the GUI of the Jekejeke Prolog development environment. It extends the functionality of the runtime library by functionality to interactively debug goals.

- **Tours:** t.b.d.
- **Menus:** The development environment extends an existing menu to provide debugger functionality.
- **Toolbars and Popup Menus:** t.b.d.
- **Settings Panels:** The development environment extends an existing menu to provide debugger functionality
- **Appendix Tour Listings:** t.b.d.

2 Tours

t.b.d.

3 Menus

The development environment adds further menus concerning the debugger functionality.

The following menus are available:


- [Debug Menu](#)
- [Window Menu](#)

3.1 Debug Menu



Pause: Pause this query.

3.2 Window Menu



New Tab: Start a new thread in a new tab.

New Monitor: Start a new monitor in a new browser.

4 Toolbars and Popup Menus

t.b.d.


5 Settings Panels

The settings are stored in the application profile. The development environment adds further settings concerning the debugger functionality.

The following settings panels are available:

- [Monitor Panel](#)

5.1 Monitor Panel



Monitor None: There is no thread monitor.

Monitor Dynamic: The thread monitor port is dynamic.

Monitor Static: The thread monitor port is static as specified.

Ok: Save the settings and close the dialog.

Close: Close the dialog.

6 Appendix Tour Listings

t.b.d.

Pictures

Es konnten keine Einträge für ein Abbildungsverzeichnis gefunden werden.

Tables

Es konnten keine Einträge für ein Abbildungsverzeichnis gefunden werden.

References